


Technische Daten:
Glastürscharnier - VICTORINE

Datasheet:
Glass door hinge - VICTORINE

Art. 77410503090-10




Art. 77410503090-12

Art. 77410503090-26




Ausführung:

Options:



DIN links/left
+
DIN rechts/right



Material:

V2A

Material:

Stainless steel AISI 304

Gewicht: / Weight: 0,546 kg

Oberflächen:

Edelstahl-Design

Finish:


Stainless steel design

Chrom-Design


Chrome design

Anthrazit-Design

Anthracite design




*drawing shows
8mm glass






coverplate

Art. 77410503090-10
Art. 77410503090-12
Art. 77410503090-26

Glasbearbeitung:
Glass preparation:





Exzenter-Glasbohrungshülsen:
Eccentric glass bore sleeves:



Empfehlungsmaße entsprechend *DIN 18268 Recommended dimensions according to *DIN 18268		
<i>Glastürhöhe</i> Glass door height	<i>Abstand Zargenfalz - BBL(A) distance frame rebate - BBL(A)</i>	<i>Abstand BBL(A) - BBL(B) distance BBL(A) - BBL(B)</i>
1860 mm - 2110 mm	241 +1 mm	1435 mm ±0,5 mm
2111 mm - 2235 mm	241 +1 mm	1560 mm ±0,5 mm
2236 mm - 2360 mm	241 +1 mm	1685 mm ±0,5 mm

Art. 77410503090-10
Art. 77410503090-12
Art. 77410503090-26

Breite/Ausladung:
Width/extension:



(no scaled view)

G-FITTINGS GmbH

Marie-Curie-Straße 16-18
46446 Emmerich am Rhein
T +49 (0)2822 962 0
F +49 (0)2822 962 221
E sales@g-fittings.com