


Technische Daten:  
Wandanschlussprofil (für "Walk-In-Dusche") - LIJN

Datasheet:  
Wall connection profile (for "walk-in-shower") - LIJN

Art. 77493314220-19  
Art. 77493314220-26  
Art. 77493314220-48




**Ausführung:** 8 mm 2200 mm max.



**Options:**

<b>Material:</b>	Aluminium	<b>Gewicht: / Weight:</b> 0,85 kg	
<b>Material:</b>	aluminium	<b>Länge: / Length:</b> 2200mm	
<b>Oberflächen:</b>	Edelstahl-Design	Anthrazit-Design	Chrom-Design
<b>Finish:</b>	stainless steel design	Anthracite design	Chrome design

Aluminium Profil  
aluminium profile




PVC Einlage / Klemmdichtung  
PVC inlay / clamping gasket





Art. 77493314220-19  
Art. 77493314220-26  
Art. 77493314220-48


1.




2.




3.




4.



5.




6.




Art. 77493314220-19  
Art. 77493314220-26  
Art. 77493314220-48


7.






8.



9.



Optional: Endkappe verfügbar / End cap available



Montage abgeschlossen  
Installation finished

**G-FITTINGS GmbH**  
Marie-Curie-Straße 16-18  
46446 Emmerich am Rhein  
T +49 (0)2822 962 0  
E sales@g-fittings.com