


Technische Daten: Laufwagen mit Aushebesicherung - CATHELIJN


Datasheet:
Sliding door roller with lift protection - CATHELIJN

Art. 77466130000-12
Art. 77466130000-26

Stand 09.2021



Ausführung:
Options:





Material: V2A
Material: Stainless steel AISI 304

Gewicht: / Weight: 0,92 kg


Oberflächen: Edelstahl-Design
Finish: Stainless steel design

Anthrazit-Design
Anthracite design



Art. 77466130000-12

Art. 77466130000-26



Dimensions:


LB = min. 700 - max. 1250mm

Gw = LB + 80 (min. 780 - 1330mm)

X = (LB - 143) * 1/2





L = 4 * X + 286 (max. 2500mm)

glass upon request
Glas auf Anfrage





Wichtig: Vor der Montage das Glas im Bereich der Klemmfläche und Glasbohrung reinigen.
Wir empfehlen G-Fittings Glasreiniger art. 7791180000000 - (Keine Verdünnung/Lösemittel verwenden!)

Important: The glass clamping and drill hole area must be cleaned before installation.
We recommend G-Fittings glass cleaner art. 7791180000000 - (Do not use thinners/solvents!)



*Reibungslose und einfache Montage von Anti-Lift, dank verbauter Magnettechnologie
Smooth and simple installation of Anti-Lift, thanks to built-in magnet technology



G-FITTINGS GmbH

Marie-Curie-Straße 16-18
46446 Emmerich am Rhein
T +49 (0)2822 962 0
F +49 (0)2822 962 221
E sales@g-fittings.com